


## INFINITY2® SUSTAINABLE FABRIC

WEAVING EXCELLENCE WITH INNOVATION



## Benefits of Infinity<sub>2</sub> include:

- 100% recyclable with active Reclamation Program that captures scrap from post-industrial (pre-consumer) and post-consumer sources
- Produced from 100% post-industrial (pre-consumer) recycled content
- Repeat recyclability for continued sustainability
- PVC-free
- Phthalate-free
- Lead-free
- Every component of this TPO compound is heat and chemically stable.
- Resistant to microbial and fungal growth
- Durable and washable

		SOLAR OPTICAL PROPERTIES				SHGC/G VALUE g-tot (glass & blind)		
Code	Color	TS	RS	AS	TV	<i>SINGLE</i> 1/4 CL	INSULATING 1 HA	
INFINITY <sub>2</sub> - 1%								
PG1	Cotton	20	68	12	18	0.29	0.22	
PG2	Almond	15	61	24	12	0.31	0.23	
PG3	Wheat	12	54	34	10	0.35	0.25	
PG4	Stone	13	55	32	11	0.35	0.24	
QG1	Barley	18	52	30	15	0.37	0.26	
VG1	Nickel	8	37	55	7	0.42	0.30	
VG2	Midnight	1	63	93	2	0.59	0.37	
VG3	Bark	3	7	90	5	0.58	0.37	
VG4	Slate	2	9	89	4	0.57	0.36	
INFINI	TY <sub>2</sub> - 3%							
PG1	Cotton	20	70	10	19	0.28	0.21	
PG2	Almond	17	61	22	15	0.32	0.23	
PG3	Wheat	12	52	36	9	0.37	0.25	
PG4	Stone	12	52	36	11	0.37	0.25	
QG1	Barley	16	53	31	14	0.37	0.25	
VG1	Nickel	9	36	55	8	0.44	0.30	
VG2	Midnight	3	6	91	5	0.59	0.37	
VG3	Bark	3	7	90	4	0.58	0.37	
VG4	Slate	3	10	87	5	0.57	0.36	
	TY <sub>2</sub> - 5%							
PG1	Cotton	23	68	9	22	0.30	0.22	
PG2	Almond	20	60	20	18	0.33	0.23	
PG3	Wheat	14	51	35	12	0.37	0.26	
PG4	Stone	15	52	33	14	0.37	0.25	
QG1	Barley	19	51	30	17	0.38	0.26	
VG1	Nickel	10	34	56	11	0.45	0.30	
VG2	Midnight	5	6	89	8	0.60	0.37	
VG3	Bark	4	7	89	6	0.59	0.37	
VG4	Slate	5	9	86	7	0.58	0.36	





PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS UL.COM/GG UL 2818



MIF Seal of Approval









,e<sup>©</sup>









 $\begin{array}{l} \mathsf{TS} = \mathsf{Solar} \; \mathsf{Transmittance} \\ \mathsf{RS} = \mathsf{Solar} \; \mathsf{Reflectance} \\ \mathsf{AS} = \mathsf{Solar} \; \mathsf{Absorptance} \\ \mathsf{TV} = \mathsf{Visual} \; \mathsf{Transmittance} \end{array}$ 

SHGC = Solar Heat Gain Coefficient


1/4 CL = 1/4" Clear Glass 1 HA = 1" Heat Absorbing Glass

Fabrics Installed Internally Zero-Degree Profile Angle

For additional performance values, test references and technical definitions visit us at www.phifer.com.








 $QG1\ \text{Barley}$ 

PG2 Almond





VG1 Nickel

The second
THE REAL POST AND
mmmmmmmmmmmmmn
and
A BY
Tere are are are are are are are are are
1 475 FT 475 FT 475 FT
ars ars ars ars and an ars and and and and ars ard ard ard ard
THE REAL POST AND
mmmmmmmmmmmmm
A ATA ATA ATA ATA ATA ATA ATA ATA ATA A
mmmmmmmmmmmmmmmm.
and
mmmmmmmmmmm
VEEEEEEEEEEEEE
fallera leva leva leva leva leva leva leva lev
and the set of the set of the set of the set of the set
/ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~

VG2 Midnight



\*Colors may vary based on individual computer settings and should only be used for general reference.

## INFINITY<sub>2</sub> SPECIFICATIONS

SheerWeave Infinity<sub>2</sub> sustainable sun control fabrics are eco-friendly full basketweaves designed to meet the most stringent environmental design standards. With 100% recycled content, 100% recyclable, and a PVC-free composition, Infinity<sub>2</sub> fabrics offer the same solar heat and glare control properties as traditional SheerWeave fabrics for conserving energy, harnessing natural light and maintaining interior comfort levels.

FIRE CLASSIFICATION							
1%, 3%, 5%	NFPA 701 TM#1 (small scale) CAN/ULC-S 109 (large scale)		NFPA 101 (Class A Rating) IBC Section 803.1.1 (Class A Rating)				
3%, 5% ONLY	BS 5867 Part 2 Type B Performance						
5% ONLY	CAN/CGSB2-4.162-M80						
	Fire classifications are subject to change. Please go to phifer.com for the most current information.						
BACTERIA AND FUNGAL RESISTANCE	ASTM E 2180	ASTM G21					
ENVIRONMENTAL CERTIFICATION	GREENGUARD GREENGUARD Gold Certified to these standards for low chemical emissions into indoor air during product usage						
LEAD FREE	RoHS/Directive 2002/95/ECREACH (EC 1907/2006) compliantANSI/WCMA A 100.1-2007 for lead contentUS Consumer Product Safety Commission Section 101						
WARRANTY	5-year interior						
ACOUSTICAL PERFORMANCE	NRC (Noise Reduction Coefficient) and SAA (Sound Absorption Average) tested in accordance with ASTM C423-09a						
UV PROTECTION	Seal of Approval by the Melanoma International Foundation (MIF) for effectiveness in preventing sun damage to the skin or eyes						
STYLE	1%	3%	5%				

WIDTHS	63" and 98"	63" and 98"	63" and 98"
	160 cm and 248.9 cm	160 cm and 248.9 cm	160 cm and 248.9 cm
ROLL LENGTH	30 Linear Yards	30 Linear Yards	30 Linear Yards
	27.4 Linear Meters	27.4 Linear Meters	27.4 Linear Meters
COMPOSITION	100% TPO	100% TPO	100% TPO
	(Thermoplastic Olefin)	(Thermoplastic Olefin)	(Thermoplastic Olefin)
	20% TPO fiber yarn	20% TPO fiber yarn	20% TPO fiber yarn
	80% TPO coating	80% TPO coating	80% TPO coating
	on TPO yarn	on TPO yarn	on TPO yarn
MESH WEIGHT	14.63 oz/yd²	13.69 oz/yd²	12.82 oz/yd²
	496.03 g/m²	464.17 g/m²	434.67 g/m²
FABRIC THICKNESS	0.032 in	0.031 in	0.030 in
	0.813 mm	0.787 mm	0.762 mm
OPENNESS FACTOR	Approximately 1%	Approximately 3%	Approximately 5%
UV BLOCKAGE	Approximately 99%	Approximately 97%	Approximately 95%
ACOUSTICAL VALUE	NRC .20 / SAA .23	NRC .20 / SAA .19	NRC .10 / SAA .11



INCORPORATED

P. O. Box 1700 • Tuscaloosa, Alabama 35403 -1700 USA Phone: 205.345.2120 • FAX: 205.391.0799 Toll Free USA/Canada: 1.800.221.5497 phifer.com • ISO Registered ₽ f ¥ ∰ in ■344